

d his

(FILE 'HOME' ENTERED AT 09:52:33 ON 10 OCT 2003)

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI,  
BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA,  
CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB,  
DDFU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, ...' ENTERED AT 09:52:41 ON  
10 OCT 2003

SEA KATAYAMA, T?/AU

-----  
32 FILE ADISCTI  
0\* FILE ADISINSIGHT  
0\* FILE ADISNEWS  
129 FILE AGRICOLA  
8 FILE ANABSTR  
58 FILE AQUASCI  
34 FILE BIOBUSINESS  
0\* FILE BIOCOMMERCE  
867 FILE BIOSIS  
19 FILE BIOTECHABS  
19 FILE BIOTECHDS  
154 FILE BIOTECHNO  
222 FILE CABA  
152 FILE CANCERLIT  
2072 FILE CAPLUS  
83 FILE CEABA-VTB  
0\* FILE CIN  
61 FILE CONFSCI  
1 FILE CROPU  
13 FILE DDFB  
43 FILE DDFU  
81 FILE DGENE  
13 FILE DRUGB  
0\* FILE DRUGLAUNCH  
0\* FILE DRUGMONOG2  
0\* FILE DRUGNL  
43 FILE DRUGU  
0\* FILE DRUGUPDATES  
6 FILE EMBAL  
592 FILE EMBASE  
131 FILE ESBIODBASE  
0\* FILE FOREGE  
33 FILE FROSTI  
39 FILE FSTA  
245 FILE GENBANK  
9 FILE HEALSAFE  
242 FILE IFIPAT  
3446 FILE JICST-EPLUS  
162 FILE LIFESCI  
0\* FILE MEDICONF  
693 FILE MEDLINE  
1 FILE NIOSHTIC  
36 FILE NTIS  
0\* FILE NUTRACEUT  
18 FILE OCEAN  
814 FILE PASCAL  
0\* FILE PCTGEN  
0\* FILE PHAR  
0\* FILE PHARMAML  
0\* FILE PHIC  
0\* FILE PHIN

```

0* FILE RDISCLOSURE
1053 FILE SCISEARCH
1 FILE SYNTHLINE
319 FILE TOXCENTER
232 FILE USPATFULL
11 FILE USPAT2
1 FILE VETB
1 FILE VETU
219 FILE WPIDS
219 FILE WPINDEX
L1 QUE KATAYAMA, T?/AU

```

```

-----
SEA L1 AND FIBRONECTIN(25W)APOPTOSIS
-----

```

```

0* FILE ADISINSIGHT
0* FILE ADISNEWS
0* FILE BIOCOMMERCE
1 FILE BIOSIS
1 FILE BIOTECHNO
2 FILE CANCERLIT
2 FILE CAPLUS
0* FILE CIN
0* FILE DRUGLAUNCH
0* FILE DRUGMONOG2
0* FILE DRUGNL
0* FILE DRUGUPDATES
1 FILE EMBASE
1 FILE ESBIODBASE
0* FILE FOREGE
0* FILE MEDICONF
2 FILE MEDLINE
0* FILE NUTRACEUT
0* FILE PCTGEN
0* FILE PHAR
0* FILE PHARMAML
0* FILE PHIC
0* FILE PHIN
0* FILE RDISCLOSURE
2 FILE SCISEARCH

```

```

L2 QUE L1 AND FIBRONECTIN(25W) APOPTOSIS
-----

```

```

FILE 'CANCERLIT, CAPLUS, MEDLINE, SCISEARCH, BIOSIS, BIOTECHNO, EMBASE,
ESBIODBASE' ENTERED AT 09:54:15 ON 10 OCT 2003

```

```

L3 12 S L1 AND FIBRONECTIN(25W)APOPTOSIS

```

```

L4 2 DUP REM L3 (10 DUPLICATES REMOVED)

```

```

=>

```

9 ANSWER 40 OF 47 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN  
 AN 97:116910 SCISEARCH  
 GA The Genuine Article (R) Number: WE836  
 TI **Fibronectin** suppresses **apoptosis** in normal human  
 melanocytes through an integrin-dependent mechanisms  
 AU Scott G (Reprint); Cassidy L; Busacco A  
 CS UNIV ROCHESTER, SCH MED & DENT, DEPT DERMATOL, 601 ELMWOOD AVE, ROCHESTER,  
 NY 14642 (Reprint); UNIV ROCHESTER, SCH MED & DENT, DEPT PATHOL,  
 ROCHESTER, NY 14642  
 CYA USA  
 SO JOURNAL OF INVESTIGATIVE DERMATOLOGY, (FEB 1997) Vol. 108, No. 2, pp.  
 147-153.  
 Publisher: BLACKWELL SCIENCE INC, 238 MAIN ST, CAMBRIDGE, MA 02142.  
 ISSN: 0022-202X.  
 DT Article; Journal  
 FS LIFE; CLIN  
 LA English  
 REC Reference Count: 44  
 \*ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS\*  
 AB Recent reports show that components of the extracellular matrix  
 function as cell survival factors through the suppression of apoptosis  
 (programmed cell death). In this report we show that attachment to  
**fibronectin** suppresses **apoptosis** of normal human fetal  
 and neonatal melanocytes in vitro and that prevention of attachment to  
 underlying matrix or attachment to poly-L-lysine is a potent inducer of  
 apoptosis in melanocytes. A role for the beta 1-integrin family in  
 mediating cell survival signals was shown by the ability of beta  
 1-blocking antibodies to enhance apoptosis in melanocytes attached to  
**fibronectin**, and by the ability of anti-beta 1 antibodies  
 immobilized on solid supports to suppress **apoptosis** in  
 melanocytes. Cytochalasin D reversed the effect of **fibronectin**  
 on the suppression of **apoptosis** in melanocytes, suggesting that  
 an intact cytoskeleton is required for transduction of survival signals. A  
 human metastatic melanoma cell line, SKMEL28, was resistant to apoptosis  
 when grown in suspension or on poly-L-lysine, even after 4 d in culture in  
 the absence of exogenous growth factors. These results suggest that  
**fibronectin** suppresses **apoptosis** in normal human  
 melanocytes through an integrin-dependent pathway and that significant  
 differences in the control of anchorage-dependent regulation of apoptosis  
 exist in melanocytes and melanoma cells.

L9 ANSWER 41 OF 47 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN  
 AN 97:102327 SCISEARCH  
 GA The Genuine Article (R) Number: WE221  
 TI Differential effect of components of the extracellular matrix on  
 differentiation and apoptosis  
 AU Aharoni D; Meiri I; Atzmon R; Vlodavsky I; Amsterdam A (Reprint)  
 CS WEIZMANN INST SCI, DEPT MOL CELL BIOL, IL-76100 REHOVOT, ISRAEL (Reprint);  
 WEIZMANN INST SCI, DEPT MOL CELL BIOL, IL-76100 REHOVOT, ISRAEL; HEBREW  
 UNIV JERUSALEM, HADASSAH UNIV HOSP, DEPT ONCOL, IL-91120 JERUSALEM, ISRAEL  
 CYA ISRAEL

**FILE ORDERING**  
order patent files results

**P** Friday (TGIF)  
10/10/03  
9:19:32 AM  
WFO1003PR

Serial# 60/084850 File order accepted

Place another order

*Check for internet apostrophe*

ANSWER 13 OF 16 MEDLINE on STN

DUPLICATE 8

AN 1998341321 MEDLINE

DN 98341321 PubMed ID: 9665806

TI Modulation of apoptotic cell death by extracellular matrix proteins and a fibronectin-derived antiadhesive peptide.

AU Fukai F; Mashimo M; Akiyama K; Goto T; Tanuma S; Katayama T

CS Department of Patho-Physiology, Faculty of Pharmaceutical Sciences, Science University of Tokyo, Tsukuba City, Japan.. fukai@ps.kagu.sut.ac.jp

SO EXPERIMENTAL CELL RESEARCH, (1998 Jul 10) 242 (1) 92-9.

Journal code: 0373226. ISSN: 0014-4827.

CY United States

DT Journal; Article; (JOURNAL ARTICLE)

LA English

FS Priority Journals

EM 199808

ED Entered STN: 19980820

Last Updated on STN: 19980820

Entered Medline: 19980810

AB Cell adhesion to the extracellular matrix (ECM) has been implicated in apoptosis in anchorage-dependent cell types. We recently found that a peptide derived from fibronectin (termed IIII4-2) inhibits the integrin-mediated cell adhesion to ECM. Using this antiadhesive peptide and a variety of ECM proteins, we show here a critical role of the integrin-ECM protein interaction in apoptotic regulation of human umbilical vein **endothelial** cells (HUVEC). HUVEC in suspension underwent apoptosis under the serum-free conditions, as judged by nuclear and DNA fragmentations. This apoptosis was suppressed to varying degrees when alpha 5 beta 1, alpha v beta 3, and alpha 2 beta 1 integrins were occupied with either soluble or immobilized ECM proteins such as fibronectin, vitronectin, and type I collagen, respectively. Peptide IIII4-2, which had no effect by itself on the HUVEC apoptosis, disrupted the ligation of alpha 5 beta 1 and alpha v beta 3 but no alpha 2 beta 1 and ultimately led the cells to apoptosis, indicating that this antiadhesive peptide indirectly induces apoptosis by blocking cell survival signal delivered from alpha 5 beta 1 and alpha v beta 3 integrins. Genistein, a protein tyrosine kinase inhibitor, slightly reduced the rescuing effect of **fibronectin**, whereas sodium orthovanadate and bombesin, which increase in the level of protein tyrosine phosphorylation, made HUVEC less susceptible to **apoptosis** and blocked the effect of peptide IIII4-2. HUVEC adhesion to fibronectin substrate raised the tyrosine phosphorylation level of focal adhesion kinase and the expression of cytoprotective Bcl-2 protein, both of which were reversed by the antiadhesive effect of peptide IIII4-2. Thus, the opposing effects of ECM proteins, including **fibronectin** and vitronectin, and peptide IIII4-2 on HUVEC **apoptosis** appear to be due to the opposing effects of these factors on the signaling pathway which includes tyrosine phosphorylation of FAK and Bcl-2 expression.

=>

apoptosis in these cells. On the basis of these observations, we hypothesized that signals triggered in neutrophils via their adhesion receptors might also modify their life span. This hypothesis has been tested using human neutrophils adherent to tissue culture plastic, either untreated or coated with extracellular matrix (ECM) proteins or with monolayers of human umbilical vein **endothelial** cells. To detect and quantitate apoptotic changes in adherent cells, we developed a microtiter plate assay using a cell-permeable DNA-binding fluorescent dye, Hoechst 33342. Use of this assay demonstrated that 1) the number of apoptotic cells among neutrophils adherent to plastic after 6-20 h of incubation was significantly lower than that among neutrophils adherent to the ECM proteins **fibronectin** or laminin; 2) adhesion to interleukin-1-activated **endothelial** cells delayed **apoptosis**, whereas adhesion to nonactivated endothelium accelerated neutrophil death; and 3) monoclonal antibodies directed against intercellular adhesion molecule 1 or against the common beta-2-chain of the leukocyte integrins abolished the protective effect of interleukin-1-activated **endothelial** cells on apoptosis of adherent neutrophils. These results suggest that the life span of adherent neutrophils depends on the activating signals triggered by the surface of adhesion.

**Fibronectin suppresses apoptosis** in normal

human melanocytes through an integrin-dependent mechanism.

AU Scott G; Cassidy L; Busacco A  
CS Department of Dermatology, University of Rochester School of Medicine and  
Dentistry, New York 14642, USA.  
NC AR-01882-01 (NIAMS)  
SO JOURNAL OF INVESTIGATIVE DERMATOLOGY, (1997 Feb) 108 (2) 147-53.  
Journal code: 0426720. ISSN: 0022-202X.  
CY United States  
DT Journal; Article; (JOURNAL ARTICLE)  
LA English  
FS MEDLINE; Priority Journals  
OS MEDLINE 97160906  
EM 199702  
ED Entered STN: 19970305  
Last Updated on STN: 19970509  
AB Recent reports show that components of the extracellular matrix function  
as cell survival factors through the **suppression** of  
**apoptosis** (programmed cell death). In this report we show that  
attachment to **fibronectin suppresses apoptosis**  
of normal human fetal and neonatal melanocytes in vitro and that  
prevention of attachment to underlying matrix or attachment to  
poly-L-lysine is a potent inducer of **apoptosis** in melanocytes. A  
role for the betal-integrin family in mediating cell survival signals was  
shown by the ability of betal-blocking antibodies to enhance  
**apoptosis** in melanocytes attached to **fibronectin**, and by  
the ability of anti-betal antibodies immobilized on solid supports to  
**suppress apoptosis** in melanocytes. Cytochalasin D  
reversed the effect of **fibronectin** on the **suppression**  
of **apoptosis** in melanocytes, suggesting that an intact  
cytoskeleton is required for transduction of survival signals. A human  
metastatic melanoma cell line, SKMEL28, was resistant to **apoptosis**  
when grown in suspension or on poly-L-lysine, even after 4 d in culture in  
the absence of exogenous growth factors. These results suggest that  
**fibronectin suppresses apoptosis** in normal  
human melanocytes through an integrin-dependent pathway and that  
significant differences in the control of anchorage-dependent regulation  
of **apoptosis** exist in melanocytes and melanoma cells.

L7 ANSWER 14 OF 18 CAPLUS COPYRIGHT 2003 ACS on STN  
AN 1997:369083 CAPLUS  
DN 127:48345  
TI The role of fibronectin in proliferation and differentiation of  
megakaryocytic cells  
AU Fukazawa, Motoharu

ANSWER 35 OF 47 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN DUPLICATE 10

AN 97:347535 SCISEARCH

GA The Genuine Article (R) Number: WM569

TI Thrombospondin 1 and type I repeat peptides of thrombospondin 1

specifically induce apoptosis of **endothelial** cells

AU Guo N H; Krutzsch H C; Inman J K; Roberts D D (Reprint);

CS BLDG 10, ROOM 2A33, 10 CTR DR MSC 1500, BETHESDA, MD 20892 (Reprint);

NIAID, NIH, BETHESDA, MD 20892; NCI, PATHOL LAB, BETHESDA, MD 20892

CYA USA

SO CANCER RESEARCH, (1 MAY 1997) Vol. 57, No. 9, pp. 1735-1742.

Publisher: AMER ASSOC CANCER RESEARCH, PUBLIC LEDGER BLDG, SUITE 816, 150  
S. INDEPENDENCE MALL W., PHILADELPHIA, PA 19106.

ISSN: 0008-5472.

Article; Journal

DT LIFE; CLIN

FS English

REC Reference Count: 48

LA \*ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS\*

AB

Thrombospondin 1 (TSP1) inhibits angiogenesis and modulates

**endothelial** cell adhesion, motility, and growth. The

antiproliferative activity of TSP1 is mimicked by synthetic peptides  
derived from the type I repeats of TSP1 that antagonize fibroblast growth  
factor 2 and activate latent transforming growth factor beta. These TSP1

analogues induced programmed cell death in bovine aortic  
**endothelial** cells based on morphological changes, assessment of

DNA fragmentation, and internucleosomal DNA cleavage. Intact TSP1 also  
induced DNA fragmentation The **endothelial** cell response was

specific because no DNA fragmentation was induced in MDA-MB-435S breast  
carcinoma cells, although TSP1 and the peptide conjugates inhibited the  
growth of both cell types. Apoptosis did not depend on activation of  
latent transforming growth factor beta because peptide lacking the  
activating sequence RFL were active. Apoptosis was not sensitive to  
inhibitors of ceramide generation but was inhibited by the phosphatase  
inhibitor vanadate. Induction of DNA fragmentation by the peptides was

decreased when **endothelial** cell cultures reached confluence.

Growth of the cells on a **fibronectin** substrate also suppressed  
induction of **apoptosis** by TSP1 or the peptides. Differential  
sensitivities to kinase inhibitors suggest that apoptosis and inhibition  
of proliferation are mediated by distinct signal transduction pathways.  
These results demonstrate that induction of apoptosis by the TSP1  
analogues is not a general cytotoxic effect and is conditional on a lack  
of strong survival-promoting signals, such as those provided by a

**fibronectin** matrix. The antitumor activity of TSP1 may therefore

result from an increased sensitivity to **apoptosis** in

**endothelial** cells adjacent to a provisional matrix during

formation of vascular beds in tumors expressing TSP1.